





ULTI-MATE

Neutral Cure Builders Silicone



MATE SEALANT & ADHESIVE RANGE

Description:

A low modulus, neutral cure silicone sealant. Suitable for applications where joint movement does not exceed 30% and where the long term durability of silicone is required. It has primerless adhesion to most construction materials. Conforms to BS EN 15651-1:2012.

Uses

A superior silicone for high movement joints and remains permanently flexible for up to 25 years.

Bond It **ULTI-MATE** is suitable for sealing around doors and windows and for general building maintenance. It can be used to fix mirrors, glazing systems, cap beading and glass and also for expansion and joint sealing to precast concrete and brickwork. This product can be used indoors or outdoors.

It has excellent adhesion to cement; concrete; glass; ferrous metals; galvanised steel; ceramics; some plastics; timber and most common building materials.

Preparation

Ensure all surfaces are clean, dry and free from grease or any contaminants that may hinder adhesion. For best results on movement joints, Bond It EXPANDING FOAM is recommended as a backing material, or a suitable backing tape or rod.

Application

Apply using a standard sealant gun. Cut tip from cartridge, be careful not to damage the screw thread. Cut the nozzle at an angle of 45° and fix to cartridge. Using a caulking gun apply sealant to the joint. Tool within 5 minutes using a tooling rod, wet spatula or SEALANT APPLICATOR TOOL, for reasons of health and safety do not tool with

Tools can be cleaned in WHITE SPIRIT or Bond It MULTI-WIPES prior to curing taking place.

Limitations

finger.

In areas subject to fungal or mould growth Bond It MULTI-PURPOSE SILICONE should be applied.

Maintenance

Resistant to all common household cleaning chemicals. In showers and bathrooms best results are obtained with a weekly clean to prevent organic build up.

Stains can be removed with commercial bleach.

Container Size

EU3 plastic cartridge.

Colours

ULTI-MATE is available in 5 colours: white, translucent, brown, grey and black.

Shelf Life

12 months from date of manufacture when stored in unopened tubes.

Storage Conditions

Store in cool, dry conditions at a temperature between 5-30°C. Protect from frost.

Disposal of Containers

Do not leave empty containers where residue could be harmful to children, animals or the environment. Remove any containers to a central disposal point in accordance with local regulations.

Health & Safety

Please refer to separate material safety data sheet for full handling, use and storage instructions. Keep out of reach of children. It is the users responsibility to determine suitability for use. If in doubt contact our Technical Department for advice.

Note: this information is for general guidance only, since site conditions and labour are beyond our control. It is recommended that users make their own tests to determine suitability.

Specification Summary Skinning Time Less than 30 minutes **Full Cure** 24-48 hours depending on conditions and bead depth Extensibility Up to 250% at breaking point +5 to + 30°C **Application Temperature** Density 0.99 Tensile Strength 0.5N/mm² Modulus @ Elongation 0.37N/mm² 20% Movement Capability Service Temperature -50 to +120°C continuous exposure, higher temperatures can be withstood for limited periods Adhesion Good to glass, concrete, ceramics, timber, ferrous metals and most building materials

Product Details:

Black	Brown	
BDUBL	BDUBR	
EU3	EU3	
5060021367006	5060021361448	
Translucent	White	
BDUT	BDUWH	
EU3	EU3	
5060021361479	5060021361486	
	BDUBL EU3 5060021367006 Translucent BDUT EU3	BDUBL BDUBR EU3 EU3 5060021367006 5060021361448 Translucent White BDUT BDUWH EU3 EU3



Part of the Bond It Silicone & Sealants Range



BOND IT

G16 River Bank Way, Lowfields Business Park, Elland, West Yorkshire. HX5 9DN

14

EN15651-1:2012 F EXT-INT

Facade sealant for exterior and interior use.

Reaction to fire E

Release of chemicals None

Resistance to flow ≤ 3mm

Loss of volume <25%

Tensile properties after water immersion

Durability Pass

NF

The data presented in this leaflet are in accordance with the present state of our knowledge, but do not absolve the user from carefully checking all supplies immediately on receipt. We reserve the right to alter product constants within the scope of technical progress or new developments. The recommendations made in this leaflet should be checked by preliminary trials because of conditions during processing over which we have no control, especially where other companies raw materials are also being used. The recommendations do not absolve the user from the obligation of investigating the possibility of infringement of third parties rights and, if necessary clarifying the position. Recommendations for use do not constitute a warranty, either expressed or implied, of the fitness or suitability of the products for a particular purpose.







Grey

EU3

BDUGR

5060021362254

Telephone: +44 (0)1422 315300 Fax +44 (0)1422 315310 Email: salesuk@bonditgroup.com Website: www.bonditgroup.com

