



Never compromise on quality!



# FOIL SAFE SOLVENT CLEANER

## Solvent Cleaner

### Description

*A non-dissolving cleaner for use on unplasticised PVC profiles and profiles covered by foils.*

### Uses

**FOIL SAFE** has a non-flammable user friendly formulation and is ideal for the safe and effective removal of uncured PU foam, uncured silicone, label / foil protection adhesive deposits, wax, pen, wet bitumen products, sealing compounds and general dust, dirt, grime and debris.

### Application

Shake before use. Apply using a clean, dry, non staining, soft cloth apply **FOIL SAFE** to the surface and rub clean. For very soiled, engrained or stubborn deposits a further application maybe required perhaps applying slight pressure.

If **FOILSAFE** is being used to prepare areas prior to the application of a sealant or adhesive, ensure that all residue is removed as this could hinder adhesion.

### Limitations

**FOILSAFE** can be used with most coloured and wood grain PVC, but due to variability in quality it is recommended to carry out a test in an inconspicuous area first.

### Storage Conditions

Non flammable, store upright in the original container in cool, dry conditions between +5°C and +30°C. Protect from frost, do not freeze.

### Shelf Life

12 months when stored according to manufacturers instructions.

### Disposal of Containers

Do not leave empty containers where residue could be harmful to children, animals or the environment. Replace lids and remove any containers to a central disposal point in accordance with local regulations.

### Health & Safety

Please refer to separate material safety data sheet for full handling, use and storage instructions. Keep out of reach of children. It is the users responsibility to determine suitability for use. If in doubt contact our Technical Department for advice.

*Note: this information is for general guidance only, since site conditions and labour are beyond our control. It is recommended that users make their own tests to determine suitability.*

## Specification Summary

Appearance	Opaque / white Liquid
Odour	Citrus
Flammability	Non flammable
Boiling Point	approx 100°C
Density	0.99g/ml
Minimum Application Temp.	+5°C
UFI	7M00-E0HC-Y004-1KET

## Container Sizes

<b>Code:</b>	BDC007
<b>Size:</b>	1L
<b>Barcode:</b>	5060021368645

*The data presented in this leaflet are in accordance with the present state of our knowledge, but do not absolve the user from carefully checking all supplies immediately on receipt. We reserve the right to alter product constants within the scope of technical progress or new developments. The recommendations made in this leaflet should be checked by preliminary trials because of conditions during processing over which we have no control, especially where other companies raw materials are also being used. The recommendations do not absolve the user from the obligation of investigating the possibility of infringement of third parties rights and, if necessary clarifying the position. Recommendations for use do not constitute a warranty, either expressed or implied, of the fitness or suitability of the products for a particular purpose.*



Certificate Number: 6152  
ISO 9001  
ISO 14001  
ISO 45001



**BOND IT**  
Unit G16 River Bank Way, Lowfields Business Park,  
Elland, West Yorkshire HX5 9DN.  
Telephone: +44 (0)1422 315300 Fax +44 (0)1422 315310  
Email: sales@bond-it.co.uk Website: www.bond-it.co.uk



V2 11/11/19  
Supersedes: V1 30/11/09

